SACRAMENTO REGION'S MOST IMPORTANT PLANTS



WUCOL= Very Light, Light, Medium, Heavy - Water Use Consumption: LINK



Sun= SH shade, FS full sun, PS part sun, S sun

Scientific Name	Common Name	Life Cycle	Height	WUCOL	Sun	Approximate Bloom time and Notes
						April-Aug. Looks best with regular water; semi deciduous in drier
Achillea millefolium	<u>Common Yarrow</u>	Р	3'	L-H	FS/PS	conditions; Host to 5 moth larva
	<u>California Broom</u>					March-Aug. Not too showy subshrub with high habitat value
Acmispon glaber	(Deerweed)	Р	3'	VL	FS	Larval host 9 butterflies and 6 moths
						Apr-July. Beautiful flowers are significant nectar sources for
Aesculus californica	<u>California Buckeye</u>	Р	10-30'	L/M	FS	butterflies and bees.
						Jan-April. Deciduous vine, grows in moist woods along streams
Aristolochia californica	<u>Dutchmans Pipe</u>	Р	20'	L/M	S/PS	sole larval host of the Pipevine Swallowtail
						May-Oct. Various insects are attracted to the flowers. Butterflies
Artemisia douglasiana	<u>Mugwort</u>	Р	3-6'	L	PS/SH	& moths hosted: 3 confirmed, 28 likely
						June-Sept . Lovely flower cluster; tolerates clay; host to Monarch
Asclepias fascicularis	<u>Narrowleaf Milkweed</u>	Р	1.5'	М	FS	larva
						Jun-July. Tolerates clay soils; spreads through underground
Asclepias speciosa	Showy Milkweed	Р	5'	L/M	FS	rhizomes <mark>host to Monarch larva</mark>
						Sept-Jan . Easy to grow shrub; extremely valuable for wildlife;
Baccharis pilularis	<u>Coyote Brush</u>	Р	10'	VL/L	FS/PS	variable forms; blooms into winter larval host to 11 moths
						Apr-May. This beautiful bulb is required 5 Bee Species plus is
Calchortus albus	<u>Fairy Lantern</u>	Bulb	1-2'	L	PS	likely host to one moth.
						Feb-April. Needs fast drainage; fast to moderate growth,
Ceanothus cuneatus	Buck Brush	Р	5'-12'	VL	FS	evergreen larval host to 4 butterflies and 5 moths/
						Feb-April. Drought-tolerant; also tolerates semi-riparian
Cercis occidentalis	Western Redbud	Р	10'-20'	L	S/PS	conditions Butterflies & moths hosted: 11 likely
						Mar-May. In the valley this plant will do better with PM shade
Cercocarpus betuloides	Mountain Mahogany	Р	8'-20'	VL/L	FS/PS	larval host to 10 moths
Chlorogalum						May-Aug. Soap Lily has long, strap-like, wavy leaves that lie
pomeridianum	<u>Soap Plant</u>	Bulb	3'	L	FS/PS	along the ground. Larval host to 1 moth
						Jun-Sept. Showy pink flowers, reseeds readily larval host to 2
Clarkia unguiculata	Elegant Clarkia	Α	.5'	L	FS/PS	moths moths
						Feb-May . Edible spreading annual herb; in the valley, does best
Claytonia perfoliata	Miners Lettuce	Α	1.3'	L/M	PS	in part shade larval host to 2 moths
						Jun-Aug. vine; showy white flowers; summer deciduous; part
Clematis ligusticifolia	<u>Virgin's Bower</u>	Р	30'	L/M	PS/SH	shade to shade larval host to 1 moth

Scientific Name	Common Name	Life Cycle	Height	WUCOL	Sun	Approximate Bloom time and Notes
						Mar-Aug. These plants are named for their funny-face-flowers
						that look like grinning Monkeys. Monkey flowers are more
Diplacus aurantiacus	Sticky Monkeyflower	Р	2-5'	L/M	FS/PS	floriferous in full sun. It is host to several local butterflies.
		_				Aug-Oct. Hummingbird favorite; spreads; cut back in winter
Epilobium canum	<u>California Fuchsia</u>	Р	3'	L	FS	Butterflies & moths hosted: 15 likely
Education Called	et ala a a pata		2.21		D.C	May-Sept. Showy blue flowers larval host likely to at least 13
Erigeron foliosus	<u>Fleabane Daisy</u>	Р	3.3'	L	PS	butterflies and moths
Fuin annum fanninulatum	California Dualuuhaat	ь.	2 51	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	FC	Apr-Sept. Tough, easy to grow, prefer good drainage larval host to 15 butterflies and moths
Eriogonum fasciculatum	<u>California Buckwheat</u>	Р	2.5'	VL/L	FS	
Friedram van van van	Mand Dudwik oot	۸	4'	EL /\ //	בכ /מכ	May-Sept. Small annual; tolerates most soils; winter semi-
Eriogonum roseum	Wand Buckwheat	Α	4	EL/VL	FS/PS	deciduous Butterflies & moths hosted: 1 confirmed, 46 likely
Friaganum nudum	Nudo Duelaubost	n	6'		FS	May-Aug. Summer semi-deciduous; leafless stems Butterflies &
Eriogonum nudum	Nude Buckwheat	Р	0	L	F3	moths hosted: 9 confirmed, 39 likely
Erianbullum lanatum	Woolly Sunflower	Р	2'	L	FS/PS	May-Aug. Summer semi-deciduous; can be extremely drought- tolerant larval host to 7 butterflies and moths
Eriophyllum lanatum	woony sunnower	<u> </u>		L	F3/F3	
Erythranthe guttata	Seep Monkeyflower	Α	5'	M/H	FS/PS	Apr-June . Aquatic annual plant; good in ponds or rain gardens larval host to 2 butterflies
Liytinantne gattata	<u>Seep Monkeyhower</u>		<u> </u>	101/11	13/13	Feb-Sept . CA State flower, tolerates clay soil, readily reseeds
Eschscholzia californica	<u>California Poppy</u>	A/P	.5'	VL/L	FS	larval host to 5 butterflies and moths
Frangula californica ssp.	<u>camorma r oppy</u>	741		V L/ L		Jun-Aug. Beautiful shrub with velvety soft leaves. Bees love it in
tomentella	Hoary Coffeberry	Р	20'	L	FS/PS	May! Larval host likely to 32 butterflies and moths
	<u> </u>	· · · · · · · · · · · · · · · · · · ·		_	, .	Feb-April . Showy pink to lavender flowers larval host to at least
Gilia capitata	Globe Gillia	Α	1'	L/M	FS	one moth
				,		Apr-Oct. Tolerates most soils; can be cut back in winter larval
Grindelia camporum	Gumplant	Р	4'	L	FS	host to 2 moths
•						Jun-Aug. Tolerates most soils; can get very large bright yellow
Helianthus annuus	Common Sunflower	Α	5'	М	FS	flowers Butterflies & moths hosted: 9 confirmed, 28 likely
						Jun-Aug. Evergreen shrub easy to grow, white flowers early
Heteromeles arbutifolia	<u>Toyon</u>	Р	12'	L	FS/PS	summer, red berries in fall larval host to 4 butterflies and moths
	Chaparral					Apr-Aug. Hardy, woody chaparral shrub/vine, summer flowering,
Lonicera interrupta	<u>Honeysuckle</u>	Р	15'	VL/L	FS/PS	edible/bitter berries Butterflies & moths hosted: 23 likely
						Apr-July. Requires good drainage, PM shade in valley Butterflies
Lupinus albifrons	Silver Bush Lupine	Р	3'	L	FS/PS	& moths hosted: 7 confirmed, 49 likely
						Mar-June. The flower is bright to deep blue in color larval host
Lupinus benthamii	Spider Lupine	Α	2.5'	L	FS	likely to 51 butterflies and moths
						Mar-June. Showy purple and white flowers, plant with CA
Lupinus bicolor	Miniature Lupine	Α	1.3'	L	FS	poppies larval host likely to 54 butterflies and moths

Scientific Name	Common Name	Life Cycle	Height	WUCOL	Sun	Approximate Bloom time and Notes
						Jun-Sept. Annual herb; showy yellow flowers; tolerates many
Madia elegans	<u>Common Madia</u>	Α	2'	L	FS/PS	soils Butterflies & moths hosted: 3 likely
					_	Jun-Aug . Requires good drainage, needs PM shade in the valley
Monardella villosa	<u>Coyote Mint</u>	Р	2'	L	PS/S	larval host to 7 butterflies and moths
		_	-1			May-June. Attractive bunch grass; easy to grow; grows in most
Muhlenbergia rigens	<u>Deergrass</u>	Р	5'	L	FS	soils Butterflies & moths hosted: 1 likely
Nemophila menziesii	Baby Blue Eyes	Α	.25'	L	FS/PS	Mar-June. Annual herb larval host to a butterfly
	Hooker's Evening					Jun-Sept. Wetland-riparian but still drought tolerant; reseeds
Oenothera elata	<u>Primrose</u>	Р	5'	M-H	FS/PS	aggressively Butterflies & moths hosted: 15 likely
		_			/	May-July. Perennial evergreen herb. May need pm shade in
Penstemon heterophyllus	<u>Foothill Penstemon</u>	Р	5'	L	FS/PS	valley Butterflies & moths hosted: 17 likely
51 11 1 1 1 1	D: D 51	_	41		FC /DC	Feb-Apr . Perennial herb; tolerates clay soil; can re-seed
Phacelia imbricata	<u>Pine Bee Flower</u>	Р	1'	L	FS/PS	Butterflies & moths hosted: 9 likely
	Lasy Dhasalia	۸	3'	V/I /I	FC	Mar-May. Tolerates clay soils; good plant for biological pest
Phacelia tanacetifolia	<u>Lacy Phacelia</u>	Α	3	VL/L	FS	control Butterflies & moths hosted: 9 likely
Phyla nodiflora	Lippia	Р	6''	L	FS/PS	May-June. Flowering ground cover; spreads rapidly larval host to butterflies
Pseudognaphalium	<u> гірріа</u>	r	0	_ L	13/13	Jan-July. Semi deciduous, may like some afternoon shade in
californicum	California Everlasting	Р	3'	VL/L	FS	summer larval host to a butterfly
- can gormean.	<u>camorina Everiasania</u>	•		V =, =		Feb-Mar. Slow growing evergreen small tree/shrub. Supports
Quercus berberidifolia	Scrub Oak	Т	15'-19'	VL	FS/PS	larval host to 165 likely
						Mar-May. Slow grower deciduous, supports many species larval
Quercus douglasii	Blue Oak	Р	16'-82'	VL	FS/PS	host to 11 butterflies and moths
						Apr-May. Slow growing evergreen small tree/shrub. Supports
Quercus durata	<u>Leather Oak</u>	Т	3'-8'	VL	FS/PS	larval host to 2 confirmed , 166 likely
						Feb-March . Fast growing (20' in 5 years); drought tolerant larval
Quercus lobata	<u>Valley Oak</u>	Р	60'-100'	L	FS	host to 17 butterflies and moths
		_	1 1		- 1	Mar-May. Medium to large evergreen, moderate grower larval
Quercus wislizenii	<u>Interior Live Oak</u>	Р	15'-50'	VL	S/PS	host to 14 butterflies and moths
						Apr-June. PM shade in the valley, siting is critical for success,
Ob ana ana iliaif-li-	Hallyland Dadlaam		01	,	DC.	beautiful red berries in summer Butterflies & moths hosted: 19
Rhamnus ilicifolia	<u>Hollyleaf Redberry</u>	Р	9'	L	PS	May Ave Telegates aloves ilse dus white telegates appeads the seven
Posa salifornica	California Wildrosa	D	8'	N.4	EC/DC	May-Aug. Tolerates clay soils; drought-tolerant; spreads through
Rosa californica	<u>California Wildrose</u>	Р	6	M	FS/PS	underground runners larval host to 2 butterflies and moths Feb-May . Requires substantial moisture, wide spreading larval
Rubus ursinus	California Blackberry	Р	6'	M/H	FS/PS/S	host to 4 moths
מטעט עוטוועט	Cambina Diackberry	г	U	IVI/ 🗆	13/73/3	חטטנינט די וווטנווט

Scientific Name	Common Name	Life Cycle	Height	WUCOL	Sun	Approximate Bloom time and Notes
						May-Jul. Constant moisture; spreads by basal shoots to any
Salix melanopsis	<u>Dusky Willow</u>	Р	10'-23'	Н	FS	moisture likely larval host to 218 butterflies and moths
						Feb-May. Likes marshes/wet areas; spreads by root runners;
Salix lasiolepis	Arroyo Willow	Р	7'-35'	Н	FS	deciduous larval host to 13 butterflies and moths + likely 211
Salvia sonomensis						Mar-July. Moderately drought tolerant if given part shade
	Sonoma Sage	Р	1.3'	VL	PS	Butterflies & moths hosted: 9 likely
						Mar-July. Easy to grow, fast growing deciduous shrub/tree; host
Sambucus nigra ssp.						plant for endangered Valley Elderberry Longhorn Beetle
cerulea	Blue Elderberry	Р	20'-30'	М	FS	Butterflies & moths hosted: 23 likely
						Feb-May . Strong bee attractant; tolerates most soils; needs
Scrophularia californica	Bee Plant	Р	4'	L	PS	good drainage larval host to 7 butterflies and moths
						Jul-Oct. Easy to grow; spreader likely larval host to 39 butterflies
Solidago californica	<u>California Goldenrod</u>	Р	3'	VL/M	FS/PS/S	and moths
						Jun-July . Shady areas; winter deciduous; spreads by rhizomes
Symphoricarpos albus	<u>Snowberry</u>	Р	6'	L	PS/SH	larval host to 10 butterflies and moths
						Jul-Aug. Tolerates clay soil and RAIN Gardens; winter deciduous;
Symphyotrichum chilense	<u>California Aster</u>	Р	5'	VL/L	FS/PS	aggressive spreader likely larval host to 10 butterflies and moths
						Aug-Oct. It is an important summer nectar source for the
			_			following bees; sow individually; tolerates dry clay soils likely
Trichostema lanceolatum	<u>Vinegarweed</u>	Α	1'	L	FS	larval host to 5 butterflies and moths
Trifolium willdenovii	<u>Tomcat Clover</u>					Apr-May. It is great for a bird garden and a butterfly garden.
		Α	4-8"	L	FS	Larval host: 67 likely
			_		_	Apr-Sept! and is also great for erosion control and attracts loads
Verbena lasiostachys	<u>Vervain</u>	Р	1-3'	M/H	FS/PS	of butterflies and pollinators. Larval host: 2 confirmed, 6 likely
						May-Jun. Common along rivers and streams, winter deciduous
Vitis californica	California Wild Grape	Р	10'-40'	L/M	FS/PS	B <mark>utterflies & moths hosted: 41 likely</mark>

Homegrown Habitat, supporting bees, birds and butterflies, and the rest of Nature

The native plant habitat we protect or add to our landscapes today will determine what LIFE looks like tomorrow.

SacValleyCNPS.org/HH

THINK GLOBALLY, ACT LOCALLY